



ASHLAR

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Arizona, Carmel Brown, Cottonwood, Christmas, Desert, Leather, Pewter, Summit, Timpanogos**Other colors in this style are also available. Please see our website for further details.**

Height: 4", 6", 10"

Length: 3-1/2"-20"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 50 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



CASCAJO VILLA

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard

Colors: Buckskin, Champagne, Chardonnay, Cottonwood, Ensign Peak, Leather, Nevada, Timpanogos, Tuscany, Wasatch, and Yuba Valley.


Other colors in this style are also available. Please see our website for further details.

Height: 2-1/2"-10"

Length: 4"-16"

Thickness: 1"-2-5/8"

Weight: Approximatley 9 Lbs/ Sq Ft



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



Rocky Mountain Stone
Products

CASTLE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard

Colors: Arizona, Buckskin, Cottonwood, Kayenta, Leather, Timpanogos, Wasatch, and Windsor. **Other colors in this style are also available. Please see our website for further details.**

Height: 6"x 6" -6"x 12"-12"x 12"

Length: 6"-12"

Thickness: 1-1-1/2"

Weight: Approximatley 9 Lbs/Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product , grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 150 Square Feet per box figuring a 1/2" grout joint. 50 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



Rocky Mountain Stone
Products

COTTAGE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Cedar, Champagne, Buckskin, Gateway, Nevada, New England, and Tuscany. **Other colors in this style are also available. Please see our website for further details.**

Height: 4"-10"

Length: 5"-14"

Thickness: 1"-2-5/8"

Weight: Approximatley 9 Lbs/Sq Ft



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 110 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



FIELDSTONE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Arizona, Aspen, Buckskin, Chardonnay, Cottonwood, Desert, Leather, Squaw Peak, Wasatch, and Yuba Valley. **Other colors in this style are also available. Please see our website for further details.**

Height: 4"-10"

Length: 5"-18"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



KWIK FIT

Description: Lightweight concrete stones consisting of individual pieces in various sizes.


Standard

Colors: Cedar, Chardonnay, Ensign Peak, Linda Vista, Pewter, Uintah, and Wasatch. **Other colors in this style are also available. Please see our website for further details.**

Height: 4"

Length: 6"-20"

Thickness: 1"-2"



Weight: Approximately 8-12 Lbs/ Sq Ft.

Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size.

Packaging: 100 Square Feet per box. 75 Linear Feet per box. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



MOUNTAIN LEDGE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Arizona, Cambria, Gateway, Leather, Piute, Pewter, Slate, Silver Reef, Wasatch, Wahweap, and Yuba Valley. **Other colors in this style are also available. Please see our website for further details.**

Height: 2"-6"

Length: 5"-21"

Thickness: 1"-2-5/8"

Weight: Approximatley 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product , grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



MOUNTAIN STACK

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Aspen, Champagne, Chardonnay, Gateway, Leather, Miller Blend, Slate, Summit, Teton Springs, Timpanogos, Wasatch, and Yuba Valley. **Other colors in this style are also available. Please see our website for further details.**

Height: 2"-4"

Length: 5"-22"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.


Packaging: 125 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



OLYMPUS FIELD

- Description:** Lightweight concrete stones consisting of individual pieces in various sizes. Blend of 70% Olympus and 30% Field.
- Standard**
- Colors:** Cottonwood, Leather, and Yuba Valley. **Other colors in this style are also available. Please see our website for further details.**
- Height:** Olympus: 1-1/2"-4"; Field: 2-1/2"-12"
- Length:** Olympus: 4"-20"; Field: 6-1/6"
- Thickness:** Olympus: 1"-2-5/8";
Field: 1"-2-5/8"
- Weight:** Approximatley 9 Lbs/ Sq Ft.
- Installation:** Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.
- Packaging:** 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Olympus Ledge and Fieldstone are packaged seperately. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.
- Sealing:** Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.





OLYMPUS LEDGE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Arizona, Buckskin, Canyon, Christmas, Cottonwood, Cream, Desert, Leather, Miller Blend, Timpanogos, Wasatch, and Yuba Valley.
Other colors in this style are also available. Please see our website for further details.

Height: 1-1/2"-4"

Length: 4"-20"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



RUBBLE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Arizona, Buckskin, Canyon, Chardonnay, Christmas, Cottonwood, Leather, Miller Blend, Pewter, Summit, and Timpanogos. **Other colors in this style are also available. Please see our website for further details.**

Height: 2-1/2"-12"

Length: 5"-18"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



RUBBLE LEDGE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.


Standard

Colors: Champagne, Chardonnay, Buckskin, Leather, Pewter, Summit, Timber and Wasatch. **Other colors in this style are also available. Please see our website for further details.**

Height: 2-1/2"-7"

Length: 5"-21"

Thickness: 1"-2-5/8"



Weight: Approximately 9 Lbs/ Sq Ft.

Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Rubble and Mountain Ledge are packaged separately. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



SANDSTONE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.

Standard


Colors: Buckskin, Canyon, Cottonwood, Desert Sand, Gateway, Little Sahara, Moab, Nevada, Summit, Teton Springs, and Timpanogos. **Other colors in this style are also available. Please see our website for further details.**

Height: 2"-9"

Length: 5"-20"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 110 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. Note: Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



STREAM STONE

Description: Lightweight concrete stones consisting of individual pieces in various sizes.


Standard

Colors: Cottonwood, Leather, Meadowbrook, Pewter, Rocky Mountain Blend, and Rustic Buff. **Other colors in this style are also available. Please see our website for further details.**

Diameter: 4"-12"

Thickness: 1"-2-5/8"

Weight: Approximately 9 Lbs/ Sq Ft.



Installation: Stone color will vary. Selecting and blending stones from different boxes throughout the installation will ensure a normal balance of color and size. When drystacking Rocky Mountain Stone Product make the mortar the same color as the stone. For the best look when installing Rocky Mountain Stone Product, grout joints should be no larger than 1/2", unless otherwise specified.

Packaging: 100 Square Feet per box figuring a 1/2" grout joint. 75 Linear Feet per box with 1/2" joint. If Drystacking order approximately 15% more product. **Note:** Boxed stone available; Full boxes weigh approximately 800-1000 lbs. and require mechanical assistance for handling.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your stone, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the stone may change after an application. Be sure to test the sealer on several different inconspicuous places on the stone, to determine if the color change is acceptable.



KING BRICK

Description: Lightweight concrete brick.


Standard

Colors: Alamitos, Countryside, Dark Grey, Grey, Old Country, Park City Used, Santa Clara, Wahweap, and Willshire. **Other colors in this style are also available. Please see our website for further details.**

Height: 3"

Length: 10"

Thickness: 5/8"



Weight: Approximately 5 Lbs/ Sq Ft.

Installation: Brick color will vary. Selecting and blending bricks from different boxes throughout the installation will ensure a normal balance of color and size

Packaging: 13-1/2 Square Feet per box. 9 Linear Feet per box. Note: Boxed brick available; Full boxes weigh approximately 62 lbs.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your brick, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the brick may change after an application. Be sure to test the sealer on several different inconspicuous places on the brick, to determine if the color change is acceptable.



THIN BRICK

Description: Lightweight concrete brick.


Standard

Colors: Alamitos, Countryside, Dark Grey, Grey, Old Country, Park City Used, Santa Clara, Wahweap, and Willshire. **Other colors in this style are also available. Please see our website for further details.**

Height: 2-3/4"

Length: 7-1/2"

Thickness: 5/8"-1-1/2"



Weight: Approximately 4 Lbs/ Sq Ft.

Installation: Brick color will vary. Selecting and blending brick from different boxes throughout the installation will ensure a normal balance of color and size

Packaging: 15 Square Feet per box. 9 Linear Feet per box. Note: Boxed brick available; Full boxes weigh approximately 60 lbs.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your brick, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the brick may change after an application. Be sure to test the sealer on several different inconspicuous places on the brick, to determine if the color change is acceptable.



MATTONE BRICK

Description: Lightweight concrete brick.


Standard

Colors: Bordeaux, Café, and Marrone.

Height: 3"

Length: 7"

Thickness: 3/4"-2"



Weight: Approximately 4 Lbs/ Sq Ft.

Installation: Brick color will vary. Selecting and blending brick from different boxes throughout the installation will ensure a normal balance of color and size

Packaging: 13 Square Feet per box. 9 Linear Feet per box. Note: Boxed brick available; Full boxes weigh approximately 60 lbs.

Sealing: Sealing is not required on Rocky Mountain Stone Products. But, if you would like to seal your brick, use only a quality masonry sealer that is of "Penetrating Breathable" type that is either a Silane or Siloxane based product. As with any sealer, the color of the brick may change after an application. Be sure to test the sealer on several different inconspicuous places on the brick, to determine if the color change is acceptable.